

RESOLUTION NO. 071201

BOARD OF SUPERVISORS, COUNTY OF SAN MATEO, STATE OF CALIFORNIA

* * * * *

**RESOLUTION CERTIFYING THE MITIGATED NEGATIVE DECLARATION AS
COMPLETE, CORRECT AND ADEQUATE, AND PREPARED IN ACCORDANCE
WITH THE CALIFORNIA ENVIRONMENTAL QUALITY ACT AND APPLICABLE
STATE AND COUNTY GUIDELINES, AND ADOPTING THE MITIGATION
MONITORING AND REPORTING PROGRAM**

RESOLVED, by the Board of Supervisors of the County of San Mateo, State of California, that

WHEREAS, the County is required to comply with the California Environmental Quality Act and applicable State and County Guidelines; and

WHEREAS, the County Sheriff's Office, in coordination with the County Planning and Building Department, retained environmental consultants TRA Environmental Sciences, Inc. (TRA) to assist in the preparation of an Initial Study in compliance with the California Environmental Quality Act and applicable State and County Guidelines for a proposed replacement jail project (Maple Street Replacement Facility) now referred to as the "Woodhouse Industrial Park site" in Redwood City; and

WHEREAS, the County recorded a Notice of Intent to Adopt a Mitigated Negative Declaration with the San Mateo County Recorder's Office on November 10, 2010; and

071201

WHEREAS, the County has provided copies of the Initial Study and Mitigated Negative Declaration to the California State Clearinghouse for review and comment by other governmental agencies on November 10, 2010, for a thirty (30) day comment period; and

WHEREAS, the County has circulated the Initial Study and Mitigated Negative Declaration from November 10, 2010 to December 9, 2010, and no comments were received in that period or subsequently; and

WHEREAS, the County has found that the environmental impact of the Maple Street Replacement Facility Project is insignificant, when the mitigation measures identified in the Initial Study and Mitigated Negative Declaration are implemented; and

WHEREAS, the County Community Development Director has recommended that the Board of Supervisors certify the Mitigated Negative Declaration as complete, correct and adequate, and prepared in accordance with the California Environmental Quality Act and applicable State and County Guidelines; and

WHEREAS, that on the basis of the Initial Study, comments received hereto, and testimony presented and considered at the public hearing, there is no substantial evidence that the project will have a significant effect on the environment, and the Initial Study and Mitigated Negative Declaration do not identify any significant or cumulative impacts associated with this project; and

WHEREAS, that the Mitigated Negative Declaration reflects the independent judgment of San Mateo County; and

WHEREAS, that the mitigation measures identified in the Mitigated Negative Declaration, and agreed to by the County Sheriff's Office, have been incorporated into the Mitigation Monitoring and Reporting Program in conformance with the California Public Resources Code Section 21081.6.

NOW THEREFORE, IT IS HEREBY DETERMINED AND ORDERED that the Board of Supervisors adopts the attached Mitigated Negative Declaration and certifies the documents as complete, correct and adequate, and prepared in accordance with the California Environmental Quality Act and applicable State and County Guidelines and adopts the attached Mitigation Monitoring and Reporting Program.

* * * * *

COUNTY OF SAN MATEO, PLANNING AND BUILDING DEPARTMENT

**NOTICE OF INTENT TO ADOPT
MITIGATED NEGATIVE DECLARATION**

A notice, pursuant to the California Environmental Quality Act of 1970, as amended (Public Resources Code 21,000 et seq.), that the following project: Maple Street Replacement Facility (MSRF) Project, when adopted and implemented, will not have a significant impact on the environment.

APPLICANT: County of San Mateo

ASSESSOR'S PARCEL NOS.: 052-392-190; 052-392-200; 052-392-210; 052-392-240;
052-392-260; 052-392-270

LOCATION: 20, 50, 70 and 80 Chemical Way, Redwood City, CA

PROJECT DESCRIPTION

The San Mateo County Sheriff's Office is considering relocating the existing Men's Minimum Security Transitional Facility (MSTF), Women's Transitional Facility (WTF), Alternative Sentencing Bureau (ASB) and Women's Correctional Center (WCC) from their existing locations at 1580 and 1590 Maple Street, Redwood City, CA, to a replacement jail facility, the Maple Street Replacement Facility (MSRF), at 20 – 80 Chemical Way, Redwood City, CA.

The proposed MSRF project would first require the County to acquire the six parcels of land at 20 – 80 Chemical Way and Redwood City to abandon its existing Chemical Way right-of-way (ROW). The County would then file a new Parcel Map according to Chapter 30 of the Redwood City Municipal Code to merge the six existing parcels and Chemical Way ROW and create one parcel. In addition, the County and Redwood City may need to relocate or abandon existing Storm Drainage and Public Utility Easements currently reserved within the existing parcels. Once the site acquisition and merger is complete, the proposed MSRF project would consist of the 768-bed MSRF, surface parking for 164 vehicles, and necessary utility improvements. The MSRF would consist of a processing/transport area, a non-secure inmate housing, administrative and support service (e.g., food service, laundry) building, and a secure inmate housing building. The utility improvements may include upgrades to sanitary sewer facilities and the relocation of storm drain pipelines pending final design calculations and project design needs.

The MSRF would replace the Sheriff's Office existing correctional facilities and operations located at 1580 and 1590 Maple Street (west of the proposed MSRF) as well as alleviate overcrowding in the Sheriff's Office downtown Redwood City Maguire Correctional Facility (MCF) by housing part of the existing MCF male inmate population. The MSRF project, therefore, would enable the Sheriff's Office to vacate its existing correctional facilities on Maple Street as well as result in minor changes to the visitation, food service operations, and other service support operations and facilities at the MCF.

PROJECT SETTING

The six parcels that comprise the MSRF project site contain single-story industrial buildings that were originally built between 1968 and 1986. Each property has parking areas surrounding the buildings and each parcel has fencing of some variety. The entire project site is paved and there is little to no landscaping on the parcels.

The MSRF project site is surrounded by Maple Street, the Redwood City Police Department (RCPD), and a South Bayside Sewer Authority (SBSA) pump station to the west, U.S. Route 101 (Highway 101) to the south, a railroad spur and Malibu Castle (mini golf) and Grand Prix (go-cart racing) facilities to the east, Blomquist Street and an undeveloped parcel to the north and Graniterock sales and processing facilities to the north and east (port-related industrial).

Other land uses off of Maple Street include several undeveloped lots used for container and/or vehicle storage located adjacent to and northeast of the RCPD. Nearby waterfront uses include the Bair Island Aquatic Center, Docktown Marina, and Peninsula Yacht Club. The marina has boat slips for boat storage and house boats. The Sheriff's Office existing WTF, MSTF, ASB and WCC as well as the Shelter Network's Maple Street Shelter are also located on Maple Street, west of the RCPD. The parcel to the northwest of the WTF, MSTF, and WCC is undeveloped and used for RV and boat storage.

FINDINGS AND BASIS FOR A NEGATIVE DECLARATION

San Mateo County has reviewed the initial study for the above project and, based upon substantial evidence in the record, finds that:

1. The project will not adversely affect water or air quality or increase noise levels substantially.
2. The project will not have adverse impacts on the flora or fauna of the area.
3. The project will not degrade the aesthetic quality of the area.
4. The project will not have adverse impacts on traffic, land use, recreation, or cultural resources.
5. In addition, the project will not:
 - a. Create impacts which have the potential to degrade the quality of the environment.
 - b. Create impacts which achieve short-term to the disadvantage of long-term environmental goals.
 - c. Create impacts for a project which are individually limited, but cumulatively considerable.

- d. Create environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly.

The County of San Mateo has, therefore, determined that the environmental impact of the project is insignificant.

MITIGATION MEASURES included in the project to avoid potentially significant effects:

Impact AES-1: *The conceptual MSRF project site plan does not identify areas to be landscaped and could potentially degrade the existing visual character of the site and immediate project vicinity.*

Mitigation Measure AES-1: The San Mateo County Department of Public Works (County DPW) shall incorporate landscaping designed to enhance views of the MSRF site from Maple Street and Blomquist Street into the MSRF project's final site plan.

- Effectiveness:** This measure would prevent potentially significant impacts to visual resources.
- Implementation:** The County DPW shall include landscaping design features on the MSRF project's final site plan.
- Timing:** The County DPW shall identify landscaping design features prior to development of the MSRF project's final site plan.
- Monitoring:** The County DPW shall review the MSRF project's final approved site plan for inclusion of landscaping design features.

Impact AES-2: *The conceptual MSRF project site plan does not identify the exterior lighting features of the MSRF and could potentially introduce a source of light and glare that would adversely affect day or nighttime views of the area or be a distraction to drivers on Highway 101.*

Mitigation Measure AES-2: The County DPW shall prohibit light spillover across property lines and limit lighting to the minimum necessary for security and exterior lighting purposes, as determined by the Sheriff's Office. All lighting shall be designed to be compatible with surrounding development. The project shall not propose light sources that are atypical of the surrounding environment. Reflective glass or other glaring building materials shall be discouraged and minimized.

- Effectiveness:** This measure would prevent potentially significant light and glare impacts to surrounding land uses, including Highway 101.
- Implementation:** The County DPW shall include exterior lighting features on the MSRF project's final site plan.
- Timing:** The County DPW shall identify exterior lighting features prior to development of the MSRF project's final site plan.
- Monitoring:** The County DPW shall review the MSRF project's final approved site plan for appropriate light control features.

Impact AIR-1: *URBEMIS modeling of the MSRF project's conceptual construction design, equipment, and schedule indicates that the MSRF project has the potential to generate construction NOx emissions that exceed BAAQMD construction emissions thresholds of significance. MSRF project construction emissions estimates are, however, subject to the project's final construction design engineering (e.g., switch from cast-in-place to pre-cast structures), construction equipment (e.g., increase or decrease in fill hauling or off-road equipment operations), and schedule.*

Mitigation Measure AIR-1a: As recommended by the BAAQMD, the County DPW shall implement the following Basic Construction Mitigation Measures to reduce fugitive dust and equipment exhaust emissions:

- Water all exposed surfaces (e.g., parking areas, staging areas, soil piles, graded areas, and unpaved access roads) two times per day;
- Cover all haul trucks transporting soil, sand, or other loose materials off-site;
- Use wet power vacuum street sweepers at least once per day to remove all visible mud or dirt track-out adjacent to Maple Street and Blomquist Street (dry power sweeping is prohibited);
- Limit vehicle speeds on unpaved roads to 15 miles per hour;
- Pave all roadways, driveways, and sidewalks as soon as possible;
- Lay all building pads as soon as possible after grading unless seeding or soil binders are used;
- Require a certified mechanic to check and determine that all equipment is running in proper condition prior to construction operations;
- Properly maintain and tune all construction equipment in accordance with manufacturer's specifications;
- Post a publicly visible sign with the telephone number and person to contact at the Department of Public Works regarding dust complaints. The DPW shall respond and take corrective action within 48 hours. The publicly visible sign shall also include the contact phone number for the Bay Area Air Quality Management District to ensure compliance with applicable regulations.

Mitigation Measure AIR-1b: To prevent the MSRF's project construction emissions from exceeding BAAQMD construction-related thresholds of significance for NOx, the County DPW shall implement the BAAQMD Additional Construction Mitigation Measures to reduce fugitive dust and equipment exhaust emissions:

- Prohibit the simultaneous occurrence of excavation, grading, and ground-disturbing activities on the same area at any one time and phase construction activities to reduce the amount of disturbed surfaces at any one time.
- Minimize the idling time of diesel powered construction equipment to two minutes.
- Submit documentation that the project's actual on- and off-road construction equipment would not exceed BAAQMD construction-related NOx thresholds of significance of 10 tons per year (or 54 lbs/day). In order to achieve this, the County DPW would currently need to demonstrate an approximately six percent reduction in

total on- and off-road NO_x emissions or an approximately 15 percent reduction in off-road equipment NO_x emissions, as compared to the current URBEMIS estimate of NO_x emissions (10.6 tons per year) for the project's conceptual construction activities. Acceptable options for reducing emissions would include the use of late model engines, low-emission diesel products, alternative fuels, engine retrofits, after-treatment products, add on devices such as particulate filters, and/or other options as available.

- Effectiveness:** This measure will reduce MSRF project construction emissions to levels below BAAQMD construction-related thresholds of significance.
- Implementation:** The County DPW shall include this measure in all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents.
- Timing:** Prior to any mobilization of construction equipment to the project site.
- Monitoring:** The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan documents for inclusion of this measure and any subsequent emission control strategies required as a result of this measure.

Impact AIR-2: *BAAQMD screening data indicates that local permitted sources within 1,000 feet of the proposed MSRF Site may present a potentially significant risk and hazard to the proposed MSRF project's inmates and employees.*

Mitigation Measure AIR-2: The Sheriff's Office shall design the proposed MSRF HVAC system to achieve indoor PM_{2.5} concentrations that are equal to or less than 0.3 µg/m³ (the BAAQMD's significance threshold) by siting HVAC intakes a minimum of 25 feet away from potential areas of high PM_{2.5} concentrations (e.g., Highway 101, Graniterock facilities, on-site diesel engines) and installing air filters that achieve a minimum filter efficiency of 90% for particles in the range of 1.0 to 3.0 µm, which is equivalent to a National Air Filtration Association's Minimum Efficiency Reporting Value (MERV) of 13 or higher.

- Effectiveness:** The siting of HVAC intakes away from areas potentially high in PM_{2.5} concentrations and the installation of an air filter with a minimum 90% particle removal efficiency would reduce indoor air PM_{2.5} concentrations to below the BAAQMD significance threshold.
- Implementation:** The County DPW shall review the locations of all HVAC intakes and contract with a National Air Filtration Association certified air filtration specialist to identify the necessary filter MERV required to achieve indoor PM_{2.5} concentrations equal to or less than 0.3 µg/m³.
- Timing:** The County DPW shall review the locations of all HVAC intakes prior to approval of final building plans. The County DPW shall identify the necessary filter MERV required to achieve indoor PM_{2.5} concentrations equal to or less than 0.3 µg/m³ prior to building occupancy.

Monitoring: The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan documents for inclusion of this measure.

Impact BIO-1: *The proposed MSRF project could result in potentially significant impacts to nesting birds from tree or shrub removal or trimming.*

Mitigation Measure BIO-1: To avoid impacts to nesting birds, the County DPW shall schedule all vegetation removal or trimming to take place outside of the breeding season (February 15 to August 31). If tree removal or trimming is scheduled to occur during the breeding season, the County DPW shall contract with a qualified biologist to conduct a survey for nesting birds no more than three days prior to scheduled removal activities. If active nests are not present, tree removal or trimming can take place as scheduled. If active nests are detected, the County DPW should contact CDFG on how to proceed. Typically, tree removal or trimming would have to be delayed until chicks have fledged, and a no-work buffer would be established around the nest. CDFG usually accepts a 50-foot radius buffer around passerine and non-passerine nests, and up to a 250-foot radius for raptors.

Effectiveness: This measure would avoid impacts to nesting birds.
Implementation: The County DPW shall include this measure in all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents.
Timing: If tree removal or trimming cannot occur outside the breeding season (February 15 to August 31), the nesting bird survey shall occur no more than three days prior to tree removal or trimming.
Monitoring: The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents for inclusion of this measure.

Impact CUL-1: *The MSRF project could uncover historical materials associated with the nearby former tannery complex.*

Mitigation Measure CUL-1: The County DPW shall contract with a qualified archaeologist to inspect the MSRF site after the existing buildings have been removed to search for potentially significant historical deposits. In the event that any such deposits are noted, the County DPW shall develop a plan for their evaluation. If evaluative testing demonstrates that additional construction related earthmoving would affect materials eligible for inclusion on the California Register of Historic Resources, the County DPW shall develop a plan for mitigating potential impacts (normally through limited hand excavation to retrieve a sample of materials for analysis) before work is allowed to recommence inside the project area.

Effectiveness: This measure would avoid impacts to historic archeological materials.
Implementation: The County DPW shall incorporate this measure into all appropriate MSRF bid contract, and engineering and site plan (e.g., building, grading, improvement plans) documents.
Timing: Prior to site preparation activities.

Monitoring: The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents for inclusion of this measure.

Impact CUL-2: *Construction activities at the MSRF site may uncover previously unknown buried human remains.*

Mitigation Measure CUL-2: In accordance with Public Resource Code Section 5097.98, should human remains be found on the site no further excavation or disturbance of the site or any nearby area reasonably suspected to overlie adjacent human remains shall be disturbed until:

1. The San Mateo County Coroner is contacted to determine that no investigation of the cause of death is required, and
2. If the Coroner determines the remains to be Native American then: (1) The coroner shall contact the Native American Heritage Commission within 24 hours; (2) The Native American Heritage Commission shall identify the person or persons it believes to be the most likely descended from the deceased native American; (3) The most likely descendent may make recommendations to the landowner or the person responsible for the excavation work, for means of treating or disposing of, with appropriate dignity, the human remains and any associated grave goods as provided in Public Resources Code Section 5097.98.

Effectiveness: This measure would avoid impacts to buried human remains.

Implementation: The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents.

Timing: During construction.

Monitoring: The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents for inclusion of this measure.

Impact GEO-1: *The project site is located in an area of strong seismic ground shaking and an earthquake could damage the MSRF structures.*

Mitigation Measure GEO-1: The County DPW shall contract with a qualified engineering firm to prepare a comprehensive site specific geotechnical analysis of the project site and the proposed MSRF that shall identify potential geologic hazards and impacts and recommend appropriate building design and construction measures consistent with the International Building Code seismic safety standards for construction and the California Building Code. All recommendations provided in the geotechnical analysis shall be incorporated into the design, construction plans, and contracts.

- Effectiveness:** This measure would ensure the project is designed and constructed according to relevant standards and reduce potentially significant impacts to the Maple Street Relocation Facility to acceptable levels.
- Implementation:** The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents.
- Timing:** The site specific geotechnical analysis shall be prepared prior to the completion of design of the MSRF so that all geotechnical recommendations may be incorporated into construction plans and contracts prior to going bid.
- Monitoring:** The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents for inclusion of geotechnical recommendations.

***Impact GHG-1:** Construction and operation of the MSRF would result in GHG emissions that are below BAAQMD GHG emission thresholds of significance, however, the conceptual construction design and site plan does not include best management practices designed to reduce GHG emissions.*

Mitigation Measure GHG-1: The Sheriff's Office and County DPW shall design and construct the project to achieve LEED Certification.

- Effectiveness:** Implementation of this mitigation measure would incorporate best management practices to reduce construction GHG emissions as encouraged by the BAAQMD and would also reduce long-term operational GHG emissions.
- Implementation:** The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (building, grading, improvement plans) documents.
- Timing:** The County DPW shall register and apply for LEED certification prior to start of construction activities.
- Monitoring:** The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents for inclusion of this measure.

***Impact HAZ-1:** The proposed project would conflict with the existing land use covenants established by the DTSC for 70 Chemical Way. Construction of the MSRF would encounter contaminated soil and/or groundwater associated with historical activities at 70 Chemical Way and could potentially result in the release of hazardous materials that would impact human health and the environment.*

Mitigation Measure HAZ-1: The County DPW shall prepare a Site Management Plan (SMP) for the proposed MSRF project that ensures continued protection of human health and the environment. The SMP shall be subject to review and approval by the appropriate RWQCB and

DTSC staff, and shall be the basis for new land use covenants restricting use of the MSRF site. The SMP shall at a minimum:

- Provide information related to the known environmental conditions at the proposed MSRF site.
- List the objectives of the management plan.
- Provide management measures that shall be implemented during site construction and, if required by the RWQCB and/or DTSC, operation of the project. The SMP shall (as applicable) include measures related to health and safety notification, equipment decontamination, soil management (testing, excavation, stockpiling, re-use, disposal, and dust control), groundwater management (dewatering), storm water management (BMPs), discovery of unanticipated subsurface conditions, maintenance and operation of any vapor or other control system, and any on-going monitoring requirements established by the RWQCB and/or the DTSC.
- Establish the party or entity responsible for managing the SMP.
- Satisfy all requirements of the RWQCB and/or DTSC.

Effectiveness: This measure would reduce any potential impacts associated with known and unknown environmental factors at the site to less than significance and would also avoid the potential impacts associated with conflict and disruption of the existing land use covenants and remedial systems at the proposed MSRF site that are currently protective of human health and the environment.

Implementation: The County DPW shall incorporate the Site Management Plan requirements into all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, and improvement plans) documents.

Timing: The County DPW shall have a final approved Site Management Plan for the project prior to release of MSRF bid documents.

Monitoring: The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan documents for inclusion Site Management Plan requirements.

Impact HYD-1: Runoff from the construction site could impact nearby sensitive resources, including Redwood Creek and ultimately San Francisco Bay.

Mitigation Measure HYD-1: The County DPW shall prepare a comprehensive erosion control plan and SWPPP. Potential construction-phase and post-construction pollutant impacts from development can be controlled through preparation and implementation of an erosion control plan and a SWPPP consistent with recommended design criteria, in accordance with the NPDES permitting requirements enforced by SMCWPPP and the San Francisco Bay RWQCB. The erosion control plan forms a significant portion of the construction-phase controls required in a SWPPP, which also details the construction-phase housekeeping measures for control of contaminants other than sediment, as well as the treatment measures and BMPs to be

implemented for control of pollutants once the project has been constructed. The SWPPP also sets forth the BMP monitoring and maintenance schedule and identifies the responsible entities during the construction and post-construction phases.

- Effectiveness:** Implementation of the erosion control plan and SWPPP would ensure water quality is preserved during construction and that the project does not violate the water quality standards.
- Implementation:** The County DPW shall incorporate these measures into construction plans and contracts.
- Timing:** The comprehensive erosion control plan and SWPPP shall be prepared prior to the finalization of the construction contract. The BMPs recommended in these reports shall be in place during all phases of construction.
- Monitoring:** The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents for inclusion of this measure.

Impact HYD-2: *The MSRF site is located in an area vulnerable to a predicted 20-inch mid-century sea level rise. As sea level rises, the MSRF site would become impacted by increased risks of flooding associated with future sea levels and storm events.*

Mitigation Measure HYD-2: In order to minimize increased flooding risks associated with predicted mid-century sea level rise estimates, The County DPW shall place structures at elevations above those likely to be adversely affected by flooding during a 100-year flood event associated with a 20-inch rise in sea level and/or design structures to allow swift water to flow around, through, or underneath without causing collapse or damage. Other features to be considered may include buffer zones and securing foundations of expendable structures so as not to add to debris in the flowing waters. Alternatively, the County DPW shall determine the appropriate elevation for structures to withstand adverse effects of a 20-inch sea level rise coupled with a 100-year flood event.

- Effectiveness:** Implementation of this mitigation measure would ensure that increased risk of flooding associated with predicted mid-century sea level rise estimates would be less than significant.
- Implementation:** The County DPW shall determine future base flood elevations associated with mid-century sea level rise projections and incorporate design measures into all MSRF construction-related bid, contract, and engineering and site (building, grading, improvement plans) documents.
- Timing:** The County DPW shall determine the future base flood elevation at the MSRF site prior to the final design of the MSRF to ensure that design measures are incorporated into construction plans and documents.
- Monitoring:** The County DPW shall review all appropriate MSRF bid, contract, and engineering and site (building, grading, improvement plans) documents for inclusion of this measure.

Impact NOI-1: *Interior MSRF noise levels may exceed 45 dBA CNEL without proper construction and/or building techniques to reduce exterior ambient noise levels.*

Mitigation Measure NOI-1: The County DPW shall prepare an acoustical study for the MSRF in accordance with State Title 24 requirements. The study shall take into account any outside mechanical appurtenances (sanitary sewer grinder, generators, etc.) built as part of the MSRF. The study shall document to DPW that noise insulation features and other elements (e.g., forced-air mechanical ventilation, sound-rated windows) to be included in the design of the MSRF's housing structures are sufficient to maintain interior noise levels at or below State standards (45 dBA CNEL).

- Effectiveness:** This measure would avoid impacts from exterior ambient noise levels on interior living quarters.
- Implementation:** The County DPW shall identify the noise insulation features necessary to comply with standards for interior noise.
- Timing:** The County DPW shall prepare the acoustical study prior to final design of the MSRF project.
- Monitoring:** The County DPW shall review all appropriate MSRF bid, contract, and engineering and site (building, grading, improvement plans) documents for inclusion of noise insulating measures.

Impact NOI-2: *The exterior features of the MSRF could result in noise levels that exceed Redwood City's noise standard for industrial land use compatibility with adjacent land uses.*

Mitigation Measure NOI-2: If manufacturer specifications indicate noise generating equipment would exceed exterior ambient noise levels established for industrial uses as set forth in Redwood City's General Plan Land Use Compatibility table (75 dB at the property boundary), the equipment shall be housed or otherwise screened from the affected adjacent land use so that the noise does not exceed 75 dB at the property boundary.

- Effectiveness:** This measure would avoid impacts to adjacent land uses from exterior stationary noise sources at the MSRF.
- Implementation:** The County DPW shall incorporate necessary sound reducing measures into all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, and improvement plans) documents.
- Timing:** The County DPW shall identify necessary sound reducing measures prior to final site plan approval.
- Monitoring:** The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan documents for inclusion of this measure.

Impact TRAF-1: *Allowing parking in the vicinity of the Chemical Way and Maple Street intersection could limit lines of sight to oncoming traffic on Maple Street.*

Mitigation Measure TRAF-1: On-street parking in the vicinity of Chemical Way and Maple Street shall be prohibited.

Effectiveness: This measure would avoid impacts from limited sight distance.
Implementation: The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, and improvement plans) documents.
Timing: Prior to approval of final plans.
Monitoring: The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, and improvement plans) documents for inclusion of this measure.

Impact TRAF-2: *The MSRF project's conceptual site plan does not provide sufficient detail regarding on-site circulation.*

Mitigation Measure TRAF-2: The County DPW shall design and construct the MSRF to account for various modes of transportation on-site including pedestrians and bicycles.

Effectiveness: This measure would avoid unsafe on-site circulation conditions.
Implementation: The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (grading, building, and improvement plans) documents.
Timing: The County DPW shall include on-site circulation infrastructure for pedestrians and bicycles as part of the MSRF project's final approved site plan.
Monitoring: The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (grading, building, improvement plans) documents for inclusion of this measure.

Impact TRAF-3: *The lack of a sidewalk on Maple Street presents a safety hazard to pedestrians as there is no safe connection between the MSRF project site and adjacent land uses.*

Mitigation Measure TRAF-3: The County DPW shall construct a sidewalk along the project's frontage on Maple Street to provide workers and visitors with a safe connection between the project site and the other surrounding uses in the area.

Effectiveness: This measure would avoid impacts to pedestrian circulation in the area.
Implementation: The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (grading, building, and improvement plans) documents.
Timing: The County DPW shall depict the Maple Street sidewalk on the project's final approved site plan.
Monitoring: The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (grading, building, improvement plans) documents for inclusion of this measure.

Impact UTL-1: *The operation of both the MSRF pump station and Redwood City's upstream Marina Pump Station at the same time could disrupt sanitary sewer system dynamics and result*

in lower pump flow rates at both pump stations, necessitating additional storage capacity at these facilities.

Mitigation Measure UTL-1: The Sheriff's Office shall install a remotely-operated Supervisory Control and Data Acquisition (SCADA) system to monitor and control pump station operations and in order to coordinate with Redwood City and ensure that the MSRF and Marina Pump Stations do not run concurrently. Alternatively, the Sheriff's Office shall provide wet well storage capacity equivalent to 150% of the design storage capacity to accommodate reduced pump flow rates that could occur with simultaneous operation of the MSRF and Redwood City Marina pump stations.

- Effectiveness:** This measure would reduce the potential for simultaneous operation of the MSRF and Marina pump stations and reduce the potential impacts associated with reduced pump flows.
- Implementation:** The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (e.g., grading, building, improvement plans) documents.
- Timing:** The County DPW shall identify the SCADA design and/or additional capacity needs of the MSRF pump station identified prior to MSRF bid release.
- Monitoring:** The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., grading, building, improvement plans) documents for inclusion of this measure.

RESPONSIBLE AGENCY CONSULTATION

Bay Area Air Quality Management District (BAAQMD)
Corrections Standards Authority
City of Redwood City
Department of Toxic Substances Control/San Francisco Bay
Regional Water Quality Control Board (RWQCB)

INITIAL STUDY: The San Mateo County Planning and Building Department has reviewed the Environmental Evaluation of this project and has found that probable environmental impacts are insignificant. A copy of the initial study is attached.

REVIEW PERIOD: November 10, 2010 – December 9, 2010


Copies of the proposed Mitigated Negative Declaration are located:

1. County Sheriff's Office, Jail Planning Unit, 1390 El Camino Real, Suite 100, San Carlos, CA 94070; and
2. County Planning and Building Department, 455 County Center, Second Floor, Redwood City, CA 94063.

SUBMIT COMMENTS: All comments regarding the correctness, completeness, or adequacy of this Mitigated Negative Declaration must be received by the **County Sheriff's Office, Jail Planning Unit, 1390 El Camino Real, Suite 100, San Carlos, CA 94070, no later than 5:00 p.m., December 9, 2010.**

CONTACT PERSON

Lieutenant (Lt.) Deborah Bazan
San Mateo County Sheriff's Office, Jail Planning Unit
1390 El Camino Real, Suite 100
San Carlos, CA 94070
650/823-7083
DBAZAN@co.sanmateo.ca.us



Jim Eggemeyer
Community Development Director
Planning and Building Department

WOODHOUSE INDUSTRIAL PARK SITE MITIGATION MONITORING AND REPORTING PROGRAM

Introduction

This document describes the Mitigation Monitoring and Reporting Program (MMRP) for ensuring the effective implementation of the mitigation measures required for approval by San Mateo County (County) of the Maple Street Replacement Facility project now referred to as the Woodhouse Industrial Park site. The purpose of the MMRP is to ensure that measures adopted to mitigate or avoid significant environmental impacts are implemented. The MMRP will not only direct the implementation of mitigation measures by the specified responsible parties, but also facilitate the monitoring, compliance and reporting activities of the County and any monitors it may designate.

Roles and Responsibilities

As the lead agency under CEQA, the County will be responsible for ensuring full compliance with the provisions of this monitoring program and will have primary responsibility for implementation of the monitoring program. The County has the authority to halt any activity associated with the construction and operation of the project if the activity is determined to be a deviation from the approved project or the adopted mitigation measures.

Mitigation Monitoring and Reporting Program

The attached table presents a compilation of the mitigation measures in the Mitigated Negative Declaration (MND), and includes columns that show: (1) each impact identified in the MND; (2) each mitigation measure included in the MND; (3) the phase or timing for monitoring/implementing each mitigation measure; (4) the responsible entity for implementing each mitigation measure; and (5) the responsible agency for monitoring completion of each mitigation measure.

Impact	Mitigation Measure	Monitoring Phase/Timing	Implementing Agency	Monitoring Agency
Impact AES-1: <i>The conceptual MSRF project site plan does not identify areas to be landscaped and could potentially degrade the existing visual character of the site and immediate project vicinity.</i>	Mitigation Measure AES-1: The San Mateo County Department of Public Works (County DPW) shall incorporate landscaping designed to enhance views of the MSRF site from Maple Street and Blomquist Street into the MSRF project's final site.	The County DPW shall identify landscaping design features prior to development of the MSRF project's final site plan.	The County DPW shall include landscaping design features on the MSRF project's final site plan.	The County DPW shall review the MSRF project's final approved site plan for inclusion of landscaping design features.
Impact AES-2: <i>The conceptual MSRF project site plan does not identify the exterior lighting features of the MSRF and could potentially introduce a source of light and glare that would adversely affect day or nighttime views of the area or be a distraction to drivers on Highway 101.</i>	Mitigation Measure AES-2: The County DPW shall prohibit light spillover across property lines and limit lighting to the minimum necessary for security and exterior lighting purposes, as determined by the Sheriff's Office. All lighting shall be designed to be compatible with surrounding development. The project shall not propose light sources that are atypical of the surrounding environment. Reflective glass or other glaring building materials shall be discouraged and minimized.	The County DPW shall identify exterior lighting features prior to development of the MSRF project's final site plan.	The County DPW shall include exterior lighting features on the MSRF project's final site plan.	The County DPW shall review the MSRF project's final approved site plan for appropriate light control features.
Impact AIR-1: <i>URBEMIS modeling of the MSRF project's conceptual construction design, equipment, and schedule indicates that the MSRF project has the potential to generate construction NOx emissions that exceed BAAQMD construction emissions thresholds of significance. MSRF</i>	Mitigation Measure AIR-1a: As recommended by the BAAQMD, the County DPW shall implement the following Basic Construction Mitigation Measures to reduce fugitive dust and equipment exhaust emissions: <ul style="list-style-type: none"> • Water all exposed surfaces (e.g., parking areas, staging areas, soil piles, graded areas, and unpaved access roads) two times per day; • Cover all haul trucks transporting soil, sand, or other loose materials off-site; • Use wet power vacuum street sweepers at least once per day to remove all visible mud or dirt 	Prior to any mobilization of construction equipment to the project site.	The County DPW shall include this measure in all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents.	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan documents for inclusion of this measure and any subsequent emission control strategies required as a result of this measure.

Impact	Mitigation Measure	Monitoring Phase/Timing	Implementing Agency	Monitoring Agency
<p><i>project construction emissions estimates are, however, subject to the project's final construction design engineering (e.g., switch from cast-in-place to pre-cast structures), construction equipment (e.g., increase or decrease in fill hauling or off-road equipment operations), and schedule.</i></p>	<p>track-out adjacent to Maple Street and Blomquist Street (dry power sweeping is prohibited);</p> <ul style="list-style-type: none"> • Limit vehicle speeds on unpaved roads to 15 miles per hour; • Pave all roadways, driveways, and sidewalks as soon as possible; • Lay all building pads as soon as possible after grading unless seeding or soil binders are used; • Require a certified mechanic to check and determine that all equipment is running in proper condition prior to construction operations; • Properly maintain and tune all construction equipment in accordance with manufacturer's specifications; • Post a publicly visible sign with the telephone number and person to contact at the Department of Public Works regarding dust complaints. The DPW shall respond and take corrective action within 48 hours. The publicly visible sign shall also include the contact phone number for the Bay Area Air Quality Management District to ensure compliance with applicable regulations. 			
	<p>Mitigation Measure AIR-1b: To prevent the MSRF's project construction emissions from exceeding BAAQMD construction-related thresholds of significance for NO_x, the County DPW shall implement the BAAQMD Additional Construction Mitigation Measures to reduce fugitive dust and equipment exhaust emissions:</p> <ul style="list-style-type: none"> • Prohibit the simultaneous occurrence of excavation, grading, and ground-disturbing activities on the same area at any one time 			

Impact	Mitigation Measure	Monitoring Phase/Timing	Implementing Agency	Monitoring Agency
	<p>and phase construction activities to reduce the amount of disturbed surfaces at any one time;</p> <ul style="list-style-type: none"> Minimize the idling time of diesel powered construction equipment to two minutes. Submit documentation that the project's actual on- and off-road construction equipment would not exceed BAAQMD construction-related NOx thresholds of significance of 10 tons per year (or 54 lbs/day). In order to achieve this, the County DPW would currently need to demonstrate an approximately 6% reduction in total on- and off-road NOx emissions or an approximately 15% reduction in off-road equipment NOx emissions, as compared to the current URBEMIS estimate of NOx emissions (10.6 tons per year) for the project's conceptual construction activities. Acceptable options for reducing emissions would include the use of late model engines, low-emission diesel products, alternative fuels, engine retrofits, after-treatment products, add on devices such as particulate filters, and/or other options as available. 			
<p>Impact AIR-2: BAAQMD screening data indicates that local permitted sources within 1,000 feet of the proposed MSRF site may present a potentially significant risk and hazard to the proposed MSRF project's inmates and employees.</p>	<p>Mitigation Measure AIR-2: The Sheriff's Office shall design the proposed MSRF HVAC system to achieve indoor PM_{2.5} concentrations that are equal to or less than 0.3 µg/m³ (the BAAQMD's significance threshold) by siting HVAC intakes a minimum of 25 feet away from potential areas of high PM_{2.5} concentrations (e.g., Highway 101, Graniterock facilities, on-site diesel engines) and installing air filters that achieve a minimum filter efficiency of 90% for particles in the range of 1.0 to 3.0 µm, which is equivalent to a National Air Filtration Association's Minimum Efficiency Reporting Value (MERV) of 13 or higher.</p>	<p>The County DPW shall review the locations of all HVAC intakes prior to approval of final building plans. The County DPW shall identify the necessary filter MERV required to achieve indoor PM_{2.5} concentrations equal to or</p>	<p>The County DPW shall review the locations of all HVAC intakes and contract with a National Air Filtration Association certified air filtration specialist to identify the necessary filter MERV required to achieve indoor PM_{2.5}</p>	<p>The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan documents for inclusion of this measure.</p>

Impact	Mitigation Measure	Monitoring Phase/Timing	Implementing Agency	Monitoring Agency
		less than 0.3 $\mu\text{g}/\text{m}^3$ prior to building occupancy.	concentrations equal to or less than 0.3 $\mu\text{g}/\text{m}^3$.	
Impact BIO-1: <i>The proposed MSRF project could result in potentially significant impacts to nesting birds from tree or shrub removal or trimming.</i>	Mitigation Measure BIO-1: To avoid impacts to nesting birds, the County DPW shall schedule all vegetation removal or trimming to take place outside of the breeding season (February 15 to August 31). If tree removal or trimming is scheduled to occur during the breeding season, the County DPW shall contract with a qualified biologist to conduct a survey for nesting birds no more than three days prior to scheduled removal activities. If active nests are not present, tree removal or trimming can take place as scheduled. If active nests are detected, the County DPW should contact CDFG on how to proceed. Typically, tree removal or trimming would have to be delayed until chicks have fledged, and a no-work buffer would be established around the nest. CDFG usually accepts a 50-foot radius buffer around passerine and non-passerine nests, and up to a 250-foot radius for raptors.	If tree removal or trimming cannot occur outside the breeding season (February 15 to August 31), the nesting bird survey shall occur no more than three days prior to tree removal or trimming.	The County DPW shall include this measure in all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents.	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents for inclusion of this measure.
Impact CUL-1: <i>The MSRF project could uncover historical materials associated with the nearby former tannery complex.</i>	Mitigation Measure CUL-1: The County DPW shall contract with a qualified archaeologist to inspect the MSRF site after the existing buildings have been removed to search for potentially significant historical deposits. In the event that any such deposits are noted, the County DPW shall develop a plan for their evaluation. If evaluative testing demonstrates that additional construction related earthmoving would affect materials eligible for inclusion on the California Register of Historic Resources, the County DPW shall develop a plan for mitigating potential impacts (normally through limited hand excavation to retrieve a sample of	Prior to site preparation activities.	The County DPW shall incorporate this measure into all appropriate MSRF bid contract, and engineering and site plan (e.g., building, grading, improvement plans) documents.	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents for inclusion of this measure.

Impact	Mitigation Measure	Monitoring Phase/Timing	Implementing Agency	Monitoring Agency
	materials for analysis) before work is allowed to recommence inside the project area.			
Impact CUL-2: <i>Construction activities at the MSRF site may uncover previously unknown buried human remains.</i>	<p>Mitigation Measure CUL-2: In accordance with Public Resource Code Section 5097.98, should human remains be found on the site no further excavation or disturbance of the site or any nearby area reasonably suspected to overlie adjacent human remains shall be disturbed until:</p> <ol style="list-style-type: none"> 1) The San Mateo County Coroner is contacted to determine that no investigation of the cause of death is required, and 2) If the Coroner determines the remains to be Native American then: (1) the Coroner shall contact the Native American Heritage Commission within 24 hours; (2) the Native American Heritage Commission shall identify the person or persons it believes to be the most likely descended from the deceased native American; (3) the most likely descendent may make recommendations to the landowner or the person responsible for the excavation work, for means of treating or disposing of, with appropriate dignity, the human remains and any associated grave goods as provided in Public Resources Code Section 5097.98. 	During construction.	The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents.	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents for inclusion of this measure.
Impact GEO-1: <i>The project site is located in an area of strong seismic ground shaking and an earthquake could damage the MSRF structures.</i>	Mitigation Measure GEO-1: The County DPW shall contract with a qualified engineering firm to prepare a comprehensive site specific geotechnical analysis of the project site and the proposed MSRF that shall identify potential geologic hazards and impacts and recommend appropriate building design and construction measures consistent with the International Building Code seismic safety	The site specific geotechnical analysis shall be prepared prior to the completion of design of the MSRF so that all geotechnical	The County DPW shall incorporate this measure into all appropriate MSRF construction-related bid, contract, and engineering and	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans)

Impact	Mitigation Measure	Monitoring Phase/Timing	Implementing Agency	Monitoring Agency
	standards for construction and the California Building Code. All recommendations provided in the geotechnical analysis shall be incorporated into the design, construction plans, and contracts.	recommendations may be incorporated into construction plans and contracts prior to going to bid.	site plan (e.g., building, grading, improvement plans) documents.	documents for inclusion of geotechnical recommendations.
Impact GHG-1: Construction and operation of the MSRF would result in GHG emissions that are below BAAQMD GHG emission thresholds of significance; however, the conceptual construction design and site plan does not include best management practices designed to reduce GHG emissions.	Mitigation Measure GHG-1: The Sheriff's Office and County DPW shall design and construct the project to achieve LEED Certification.	The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (building, grading, improvement plans) documents.	The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (building, grading, improvement plans) documents.	The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (building, grading, improvement plans) documents.
Impact HAZ-1: The proposed project would conflict with the existing land use covenants established by the DTSC for 70 Chemical Way. Construction of the MSRF would encounter contaminated soil and/or groundwater associated with historical activities at 70 Chemical Way and could potentially result in the release of hazardous materials that	<p>Mitigation Measure HAZ-1: The County DPW shall prepare a Site Management Plan (SMP) for the proposed MSRF project that ensures continued protection of human health and the environment. The SMP shall be subject to review and approval by the appropriate RWQCB and DTSC staff, and shall be the basis for new land use covenants restricting use of the MSRF site. The SMP shall at a minimum:</p> <ul style="list-style-type: none"> • Provide information related to the known environmental conditions at the proposed MSRF site. • List the objectives of the management plan. 	The County DPW shall have a final approved Site Management Plan for the project prior to release of MSRF bid documents.	The County DPW shall incorporate the Site Management Plan requirements into all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, and improvement plans) documents.	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan documents for inclusion of Site Management Plan requirements.

071201

Impact	Mitigation Measure	Monitoring Phase/Timing	Implementing Agency	Monitoring Agency
<p>would impact human health and the environment.</p>	<ul style="list-style-type: none"> • Provide management measures that shall be implemented during site construction and, if required by the RWQCB and/or DTSC, operation of the project. The SMP shall (as applicable) include measures related to health and safety notification, equipment decontamination, soil management (testing, excavation, stockpiling, reuse, disposal, and dust control), groundwater management (dewatering), storm-water management (BMPs), discovery of unanticipated subsurface conditions, maintenance and operation of any vapor or other control system, and any ongoing monitoring requirements established by the RWQCB and/or the DTSC. • Establish the party or entity responsible for managing the SMP. • Satisfy all requirements of the RWQCB and/or DTSC. 			
<p>Impact HYD-1: Runoff from the construction site could impact nearby sensitive resources, including Redwood Creek and ultimately San Francisco Bay.</p>	<p>Mitigation Measure HYD-1: The County DPW shall prepare a comprehensive erosion control plan and SWPPP. Potential construction-phase and post-construction pollutant impacts from development can be controlled through preparation and implementation of an erosion control plan and a SWPPP consistent with recommended design criteria, in accordance with the NPDES permitting requirements enforced by SMCWPPP and the San Francisco Bay RWQCB. The erosion control plan forms a significant portion of the construction-phase controls required in a SWPPP, which also details the construction-phase housekeeping measures for control of contaminants other than sediment, as well as the treatment measures and BMPs to be implemented for control of pollutants once the project has been constructed. The SWPPP</p>	<p>The comprehensive erosion control plan and SWPPP shall be prepared prior to the finalization of the construction contract. The BMPs recommended in these reports shall be in place during all phases of construction.</p>	<p>The County DPW shall incorporate these measures into construction plans and contracts.</p>	<p>The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, improvement plans) documents for inclusion of this measure.</p>

071201

Impact	Mitigation Measure	Monitoring Phase/Timing	Implementing Agency	Monitoring Agency
	also sets forth the BMP monitoring and maintenance schedule and identifies the responsible entities during the construction and post-construction phases.			
<p>Impact HYD-2: <i>The MSRF site is located in an area vulnerable to a predicted 20-inch mid-century sea level rise. As sea level rises, the MSRF site would become impacted by increased risks of flooding associated with future sea levels and storm events.</i></p>	<p>Mitigation Measure HYD-2: In order to minimize increased flooding risks associated with predicted mid-century sea level rise estimates, the County DPW shall place structures at elevations above those likely to be adversely affected by flooding during a 100-year flood event associated with a 20-inch rise in sea level and/or design structures to allow swift water to flow around, through, or underneath without causing collapse or damage. Other features to be considered may include buffer zones and securing foundations of expendable structures so as not to add to debris in the flowing waters. Alternatively, the County DPW shall determine the appropriate elevation for structures to withstand adverse effects of a 20-inch sea level rise coupled with a 100-year flood event.</p>	<p>The County DPW shall determine the future base flood elevation at the MSRF site prior to the final design of the MSRF to ensure that design measures are incorporated into construction plans and documents.</p>	<p>The County DPW shall determine future base flood elevations associated with mid-century sea level rise projections and incorporate design measures into all MSRF construction-related bid, contract, and engineering and site (building, grading, improvement plans) documents.</p>	<p>The County DPW shall review all appropriate MSRF bid, contract, and engineering and site (building, grading, improvement plans) documents for inclusion of this measure.</p>
<p>Impact NOI-1: <i>Interior MSRF noise levels may exceed 45 dBA CNEL without proper construction and/or building techniques to reduce exterior ambient noise levels.</i></p>	<p>Mitigation Measure NOI-1: The County DPW shall prepare an acoustical study for the MSRF in accordance with State Title 24 requirements. The study shall take into account any outside mechanical appurtenances (sanitary sewer grinder, generators, etc.) built as part of the MSRF. The study shall document that noise insulation features and other elements (e.g., forced-air mechanical ventilation, sound-rated windows) to be included in the design of the MSRF's housing structures are sufficient to maintain interior noise levels at or below State standards (45 dBA CNEL).</p>	<p>The County DPW shall prepare the acoustical study prior to final design of the MSRF project.</p>	<p>The County DPW shall identify the noise insulation features necessary to comply with standards for interior noise.</p>	<p>The County DPW shall review all appropriate MSRF bid, contract, and engineering and site (building, grading, improvement plans) documents for inclusion of noise insulating measures.</p>

071201

Impact	Mitigation Measure	Monitoring Phase/Timing	Implementing Agency	Monitoring Agency
Impact NOI-2: <i>The exterior features of the MSRF could result in noise levels that exceed Redwood City's noise standard for industrial land use compatibility with adjacent land uses.</i>	Mitigation Measure NOI-2: If manufacturer specifications indicate noise generating equipment would exceed exterior ambient noise levels established for industrial uses as set forth in Redwood City's General Plan Land Use Compatibility table (75 dB at the property boundary), the equipment shall be housed or otherwise screened from the affected adjacent land use so that the noise does not exceed 75 dB at the property boundary.	The County DPW shall identify necessary sound reducing measures prior to final site plan approval.	The County DPW shall incorporate necessary sound reducing measures into all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, and improvement plans) documents.	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan documents for inclusion of this measure.
Impact TRAF-1: <i>Allowing parking in the vicinity of the Chemical Way and Maple Street intersection could limit lines of sight to oncoming traffic on Maple Street.</i>	Mitigation Measure TRAF-1: On-street parking in the vicinity of Chemical Way and Maple Street shall be prohibited.	Prior to approval of final plans.	The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, and improvement plans) documents.	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., building, grading, and improvement plans) documents for inclusion of this measure.
Impact TRAF-2: <i>The MSRF project's conceptual site plan does not provide sufficient detail regarding on-site circulation.</i>	Mitigation Measure TRAF-2: The County DPW shall design and construct the MSRF to account for various modes of transportation on-site including pedestrians and bicycles.	The County DPW shall include on-site circulation infrastructure for pedestrians and bicycles as part of the MSRF project's final approved site plan.	The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (grading, building, and improvement plans) documents.	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (grading, building, improvement plans) documents for inclusion of this measure.

071201

Impact	Mitigation Measure	Monitoring Phase/Timing	Implementing Agency	Monitoring Agency
Impact TRAF-3: <i>The lack of a sidewalk on Maple Street presents a safety hazard to pedestrians as there is no safe connection between the MSRF project site and adjacent land uses.</i>	Mitigation Measure TRAF-3: The County DPW shall construct a sidewalk along the project's frontage on Maple Street to provide workers and visitors with a safe connection between the project site and the other surrounding uses in the area.	The County DPW shall depict the Maple Street sidewalk on the project's final approved site plan.	The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (grading, building, and improvement plans) documents.	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (grading, building, improvement plans) documents for inclusion of this measure.
Impact UTL-1: <i>The operation of both the MSRF Pump Station and Redwood City's upstream Marina Pump Station at the same time could disrupt sanitary sewer system dynamics and result in lower pump flow rates at both pump stations, necessitating additional storage capacity at these facilities.</i>	Mitigation Measure UTL-1: The Sheriff's Office shall install a remotely-operated Supervisory Control and Data Acquisition (SCADA) system to monitor and control pump station operations in order to coordinate with Redwood City and ensure that the MSRF and Marina Pump Stations do not run concurrently. Alternatively, the Sheriff's Office shall provide wet well storage capacity equivalent to 150% of the design storage capacity to accommodate reduce pump flow rates that could occur with simultaneous operation of the MSRF and Redwood City Marina Pump Stations.	The County DPW shall identify the SCADA design and/or additional capacity needs of the MSRF Pump Station identified prior to MSRF bid release.	The County DPW shall incorporate this measure into all appropriate MSRF bid, contract, and engineering and site plan (e.g., grading, building, improvement plans) documents.	The County DPW shall review all appropriate MSRF bid, contract, and engineering and site plan (e.g., grading, building, improvement plans) documents for inclusion of this measure.

Regularly passed and adopted this 21st day of December, 2010.

AYES and in favor of said resolution:

Supervisors:

MARK CHURCH

CAROLE GROOM

ROSE JACOBS GIBSON

ADRIENNE J. TISSIER

NOES and against said resolution:

Supervisors:

NONE

Absent Supervisors:

NONE

CAROLE GROOM

*Vice President, Board of Supervisors
County of San Mateo
State of California*

Certificate of Delivery

I certify that a copy of the original resolution filed in the Office of the Clerk of the Board of Supervisors of San Mateo County has been delivered to the Vice President of the Board of Supervisors.

Marie L. Peterson

*Marie L. Peterson, Deputy
Clerk of the Board of Supervisors*

071201